

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118239556 Kalan Railroad Bridge RACON K 46-10-40.780N
Member No.: Aid Type : RACN Depth : 119-01-07.410W
LLNR : 13027.5 Snd Type :
Lt Char : Charts : 18542 18545
Last Insp : 06/29/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117371464 Little Goose Dam Fish Bypass Pipe Light A 46-35-02.340N
Member No.: Aid Type : LT Depth : 118-01-59.450W
LLNR : 13672.1 Snd Type :
Lt Char : Fl Y 2s Charts : 18546
Last Insp : 07/14/2016 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117883069 Little Goose Dam Fish Bypass Pipe Light B 46-35-02.110N
Member No.: Aid Type : LT Depth : 118-01-59.560W
LLNR : 13672.2 Snd Type :
Lt Char : Fl Y 4s Charts : 18546
Last Insp : 07/14/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117883070 Little Goose Dam Fish Bypass Pipe Light C 46-35-01.352N
Member No.: Aid Type : LT Depth : 118-01-59.139W
LLNR : 13672.3 Snd Type :
Lt Char : Fl Y 4s Charts : 18546
Last Insp : 07/14/2016 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117883071 Little Goose Dam Fish Bypass Pipe Light D 46-35-00.389N
Member No.: Aid Type : LT Depth : 118-01-58.880W
LLNR : 13672.4 Snd Type :
Lt Char : Fl Y 4s Charts : 18546
Last Insp : 07/14/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117883072 Little Goose Dam Fish Bypass Pipe Light E 46-34-59.428N
Member No.: Aid Type : LT Depth : 118-01-58.370W
LLNR : 13672.5 Snd Type :
Lt Char : Fl Y 4s Charts : 18546
Last Insp : 07/14/2016 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117883073 Little Goose Dam Fish Bypass Pipe Light F 46-34-58.458N
Member No.: Aid Type : LT Depth : 118-01-58.370W
LLNR : 13672.6 Snd Type :
Lt Char : Fl Y 4s Charts : 18546
Last Insp : 07/14/2016 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118296083 Lower Monumental Dam Fish Bypass Pipe Light A 46-33-24.430N
Member No.: Aid Type : LT Depth : 118-32-51.990W
LLNR : 13482.1 Snd Type :
Lt Char : Fl Y 2s Charts : 18545
Last Insp : 05/31/2016 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118296084 Lower Monumental Dam Fish Bypass Pipe Light B 46-33-25.020N
Member No.: Aid Type : LT Depth : 118-32-53.160W
LLNR : 13482.2 Snd Type :
Lt Char : Fl Y 4s Charts : 18545
Last Insp : 05/31/2016 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118296085 Lower Monumental Dam Fish Bypass Pipe Light C 46-33-25.650N
Member No.: Aid Type : LT Depth : 118-32-54.460W
LLNR : 13482.3 Snd Type :
Lt Char : Fl Y 4s Charts : 18545
Last Insp : 05/31/2016 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured

Missing Off Station Vandalized Peeling Paint Retro Peeling

Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118296086 Lower Monumental Dam Fish Bypass Pipe Light D 46-33-26.260N
Member No.: Aid Type : LT Depth : 118-32-55.660W
LLNR : 13482.4 Snd Type :
Lt Char : Fl Y 4s Charts : 18545
Last Insp : 05/31/2016 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118465372 Pasco Water Intake Lighted Warning Buoy A 46-15-56.691N
Member No.: Aid Type : LB Depth : 119-14-29.863W
LLNR : 13081 Snd Type :
Lt Char : Fl W 4s Charts : 18543
Last Insp : 06/15/2018 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured

Missing Off Station Vandalized Peeling Paint Retro Peeling

Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118465374 Pasco Water Intake Lighted Warning Buoy C 46-15-56.849N
Member No.: Aid Type : LB Depth : 119-14-30.049W
LLNR : 13083 Snd Type :
Lt Char : Fl W 4s Charts : 18543
Last Insp : 06/15/2018 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118465373 Pasco Water Intake Warning Daybeacon B 46-15-57.738N
Member No.: Aid Type : DBN Depth : 119-14-28.508W
LLNR : 13082 Snd Type :
Lt Char : Charts : 18543
Last Insp : 06/15/2018 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118465375 Pasco Water Intake Warning Daybeacon D 46-15-57.717N
Member No.: Aid Type : DBN Depth : 119-14-28.484W
LLNR : 13084 Snd Type :
Lt Char : Charts : 18543
Last Insp : 06/15/2018 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100129738 Richland Water Intake Lights (2) 46-18-55.000N
Member No.: Aid Type : LT Depth : 119-15-33.000W
LLNR : 13100 Snd Type :
Lt Char : F Y Charts : 18543
Last Insp : 08/01/2016 Mile Marker :

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)