

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

Filename : RPVER

Run by : REPORT_USER2

Report Date : 03/29/2019 12:46

Report Parameters

Aid Number	Aid Name
200100129724	China Bar Light 3
200100129726	China Bar Lighted Buoy 7
200100129973	Ash Grove Lime Dock Light N
200100129974	Ash Grove Lime Dock Light S
200100129723	China Bar Light 1
200100129725	China Bar Lighted Buoy 5
200100669981	Chief Timothy Water Intake Light
100117873632	Zidell Regulatory Lighted Buoy A
100117873633	Zidell Regulatory Lighted Buoy B
100117873634	Zidell Regulatory Lighted Buoy C

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num :200100129973 Ash Grove Lime Dock Light N 45-37-23.490N
Member No.: Aid Type : LT Depth : 122-47-16.610W
LLNR :14905 Snd Type :
Lt Char :F Y Charts : 18526
Last Insp : 07/30/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured

Missing Off Station Vandalized Peeling Paint Retro Peeling

Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num :200100129974 Ash Grove Lime Dock Light S 45-37-21.220N
Member No.: Aid Type : LT Depth : 122-47-16.610W
LLNR :14906 Snd Type :
Lt Char :F Y Charts : 18526
Last Insp : 07/30/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured

Missing Off Station Vandalized Peeling Paint Retro Peeling

Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100669981 Chief Timothy Water Intake Light 46-25-38.400N
Member No.: Aid Type : LT Depth : 117-09-11.340W
LLNR : 14017 Snd Type :
Lt Char : Q Y Charts : 18548
Last Insp : 09/04/2016 Mile Marker : 133

Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured

Missing Off Station Vandalized Peeling Paint Retro Peeling

Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num :200100129723 China Bar Light 1 48-49-15.000N
Member No.: Aid Type : LT Depth : 117-56-06.000W
LLNR :14395 Snd Type :
Lt Char :FI G 10s Charts : 18553
Last Insp : 09/17/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?
Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num :200100129724 China Bar Light 3 48-49-31.000N
Member No.: Aid Type : LT Depth : 117-55-47.000W
LLNR :14400 Snd Type :
Lt Char :F1 G 10s Charts : 18553
Last Insp : 09/17/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?
Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num :200100129725 China Bar Lighted Buoy 5 48-49-52.000N
Member No.: Aid Type : LB Depth : 117-55-47.000W
LLNR :14405 Snd Type :
Lt Char :F1 G 10s Charts : 18553
Last Insp : 09/17/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured

Missing Off Station Vandalized Peeling Paint Retro Peeling

Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num :200100129726 China Bar Lighted Buoy 7 48-50-18.000N
Member No.: Aid Type : LB Depth : 117-55-30.000W
LLNR :14410 Snd Type :
Lt Char :F1 G 10s Charts : 18553
Last Insp : 09/17/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured

Missing Off Station Vandalized Peeling Paint Retro Peeling

Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117873632 Zidell Regulatory Lighted Buoy A 45-30-09.600N
Member No.: Aid Type : LB Depth : 122-40-02.430W
LLNR : 14959.1 Snd Type :
Lt Char : Fl W 4s Charts : 18526
Last Insp : 07/30/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?
Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117873633 Zidell Regulatory Lighted Buoy B 45-30-20.730N
Member No.: Aid Type : LB Depth : 122-40-08.500W
LLNR : 14959.2 Snd Type :
Lt Char : Fl W 4s Charts : 18526
Last Insp : 07/30/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure
 IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color
 2554 Verified?
 Position Check ?
Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured
 Missing Off Station Vandalized Peeling Paint Retro Peeling
 Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)

USCG Integrated ATONIS

Integrated Aids to Navigation Information System

Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117873634 Zidell Regulatory Lighted Buoy C 45-30-24.740N
Member No.: Aid Type : LB Depth : 122-40-13.050W
LLNR : 14959.3 Snd Type :
Lt Char : Fl W 4s Charts : 18526
Last Insp : 07/30/2016 Mile Marker :
Unit Remarks :

Inspector : _____ Date Inspected On : _____

Aux. Phone : _____ Aux. Num : _____ Aux. Region : _____

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method : LORAN GPS Sextant Angles Bearings

Ranges: Other _____ Position : _____

LOP 1 : Bearing : _____ Range : _____ Object : _____

LOP 2 : Bearing : _____ Range : _____ Object : _____

LOP 3 : Bearing : _____ Range : _____ Object : _____

DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out Improper Characteristic Broken Lens Light Obscured

Missing Off Station Vandalized Peeling Paint Retro Peeling

Number Obliterated Sinking Aid Obscured Damaged Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy : MAIL PHONE RADIO Time Reported _____ L

Coast Guard Unit notified : _____ Other : _____

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS? Yes No

Comments : (continue on reverse if necessary)