

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119271942      Elliott Bay Net Piling Warning Light A      47-35-10.960N  
Member No.:      Aid Type : LT      Depth :      122-21-50.010W  
LLNR : 16896      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18449  
Last Insp : 05/16/2022      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out     Improper Characteristic     Broken Lens     Light Obscured  
 Missing     Off Station     Vandalized     Peeling Paint     Retro Peeling  
 Number Obliterated     Sinking     Aid Obscured     Damaged     Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119271943      Elliott Bay Net Piling Warning Light B      47-35-08.978N  
Member No.:      Aid Type : LT      Depth :      122-21-50.010W  
LLNR : 16897      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18449  
Last Insp : 05/16/2022      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119271944      Elliott Bay Net Piling Warning Light C      47-35-08.829N  
Member No.:      Aid Type : LT      Depth :      122-21-53.735W  
LLNR : 16898      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18449  
Last Insp : 05/16/2022      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119271945      Elliott Bay Net Piling Warning Light D      47-35-05.990N  
Member No.:      Aid Type : LT      Depth :      122-21-56.141W  
LLNR : 16899      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18449  
Last Insp : 05/16/2022      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130367      Colman Ferry Terminal North Dolphin Lights (2)      47-36-09.709N  
Member No.:      Aid Type : LT      Depth :      122-20-27.308W  
LLNR : 16855      Snd Type :  
Lt Char : Fl Y 10s      Charts : 18441    18449    18450    18474  
Last Insp : 05/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117589464      Colman Ferry Terminal South Dolphin Lights (2)      47-36-07.570N  
Member No.:      Aid Type : LT      Depth :      122-20-27.186W  
LLNR : 16856      Snd Type :  
Lt Char : Fl Y 10s      Charts : 18441    18449    18450    18474  
Last Insp : 05/11/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130304      East Waterway Pier Light      47-35-28.000N  
Member No.:      Aid Type : LT      Depth :      122-20-48.000W  
LLNR : 16860      Snd Type :  
Lt Char : Fl R 4s      Charts : 18449    18450    18474  
Last Insp : 05/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130450      Edmonds Small Boat Harbor Entrance Light 1      47-48-31.000N  
Member No.:      Aid Type : LT      Depth :      122-23-30.000W  
LLNR : 16710      Snd Type :  
Lt Char : Fl G 4s      Charts : 18440    18441    18446  
Last Insp : 07/01/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)



# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130449      Edmonds Small Boat Harbor Entrance Light 2      47-48-33.000N  
Member No.:      Aid Type : LT      Depth :      122-23-25.000W  
LLNR : 16715      Snd Type :  
Lt Char : Fl R 4s      Charts : 18440    18441    18446  
Last Insp : 07/01/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130447      Edmonds South Breakwater Light      47-48-25.000N  
Member No.:      Aid Type : LT      Depth :      122-23-43.000W  
LLNR : 16705      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18440   18441   18446   18473  
Last Insp : 07/01/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes   No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN    GPS    Sextant Angles    Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL    PHONE    RADIO   Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes    No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130153      Edmonds Storm Sewer Outfall Daybeacon      47-48-24.000N  
Member No.:      Aid Type : DBN      Depth :      122-23-42.000W  
LLNR : 16700      Snd Type :  
Lt Char :      Charts : 18440    18441    18446    18473  
Last Insp : 07/10/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118293191      Elliot Bay Fish Pen Light A      47-37-20.705N  
Member No.:      Aid Type : LT      Depth :      122-22-04.213W  
LLNR : 16851      Snd Type :  
Lt Char : Fl Y 6s      Charts : 18441    18449    18450    18474  
Last Insp : 05/10/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130420      Elliot Bay Fish Pen Light B      47-37-19.689N  
Member No.:      Aid Type : LT      Depth :      122-22-02.784W  
LLNR : 16852      Snd Type :  
Lt Char : Fl Y 6s      Charts : 18441    18449    18450    18474  
Last Insp : 06/16/2005      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130488      Elliott Bay Marina Breakwater Light A      47-37-48.000N  
Member No.:      Aid Type : LT      Depth :      122-23-48.000W  
LLNR : 16838      Snd Type :  
Lt Char : Fl Y 10s      Charts : 18449    18450    18474  
Last Insp : 05/11/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130489      Elliott Bay Marina Breakwater Light B      47-37-42.000N  
Member No.:      Aid Type : LT      Depth :      122-23-48.000W  
LLNR : 16838.1      Snd Type :  
Lt Char : Fl Y 10s      Charts : 18449    18450    18474  
Last Insp : 05/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130490      Elliott Bay Marina Breakwater Light C      47-37-36.000N  
Member No.:      Aid Type : LT      Depth :      122-23-18.000W  
LLNR : 16838.2      Snd Type :  
Lt Char : Fl Y 10s      Charts : 18449    18450    18474  
Last Insp : 05/11/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)



# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130491      Elliott Bay Marina Breakwater Light D      47-37-42.000N  
Member No.:      Aid Type : LT      Depth :      122-23-18.000W  
LLNR : 16838.3      Snd Type :  
Lt Char : Fl Y 10s      Charts : 18449    18450    18474  
Last Insp : 05/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out     Improper Characteristic     Broken Lens     Light Obscured  
 Missing     Off Station     Vandalized     Peeling Paint     Retro Peeling  
 Number Obliterated     Sinking     Aid Obscured     Damaged     Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130493      Elliott Bay Marina East Entrance Light 1      47-37-36.000N  
Member No.:      Aid Type : LT      Depth :      122-23-12.000W  
LLNR : 16839      Snd Type :  
Lt Char : Fl G 10s      Charts : 18449      18450      18474  
Last Insp : 05/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130495      Elliott Bay Marina East Entrance Light 2      47-37-42.000N  
Member No.:      Aid Type : LT      Depth :      122-23-18.000W  
LLNR : 16839.1      Snd Type :  
Lt Char : Fl R 10s      Charts : 18449    18450    18474  
Last Insp : 05/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130484      Elliott Bay Marina West Entrance Light 1      47-37-42.000N  
Member No.:      Aid Type : LT      Depth :      122-23-48.000W  
LLNR : 16837      Snd Type :  
Lt Char : Fl G 10s      Charts : 18449    18450    18474  
Last Insp : 05/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130486      Elliott Bay Marina West Entrance Light 2      47-37-42.000N  
Member No.:      Aid Type : LT      Depth :      122-23-48.000W  
LLNR : 16837.1      Snd Type :  
Lt Char : Fl R 10s      Charts : 18449    18450    18474  
Last Insp : 05/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130214      Golden Gardens Boat Ramp Pier Light      47-41-13.869N  
Member No.:      Aid Type : LT      Depth :      122-24-16.041W  
LLNR : 16775      Snd Type :  
Lt Char : F Y      Charts : 18441    18446    18447    18473  
Last Insp : 05/13/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130090      John Wayne Marina Light 1      48-03-52.286N  
Member No.:      Aid Type : LT      Depth :      123-02-24.802W  
LLNR : 16450      Snd Type :  
Lt Char : Fl G 2.5s      Charts : 18440    18465    18471  
Last Insp : 11/13/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130088      John Wayne Marina Light 2      48-03-54.403N  
Member No.:      Aid Type : LT      Depth :      123-02-26.462W  
LLNR : 16445      Snd Type :  
Lt Char : Fl R 2.5s      Charts : 18440    18465    18471  
Last Insp : 11/13/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)



# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117854866      Pier 57 Ferris Wheel Warning Lighted Buoy A      47-36-22.092N  
Member No.:      Aid Type : LB      Depth :      122-20-34.333W  
LLNR : 16853      Snd Type :  
Lt Char : Fl W 4s      Charts : 18449      18450  
Last Insp : 05/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out     Improper Characteristic     Broken Lens     Light Obscured  
 Missing     Off Station     Vandalized     Peeling Paint     Retro Peeling  
 Number Obliterated     Sinking     Aid Obscured     Damaged     Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117854867      Pier 57 Ferris Wheel Warning Lighted Buoy B      47-36-21.468N  
Member No.:      Aid Type : LB      Depth :      122-20-33.896W  
LLNR : 16854      Snd Type :  
Lt Char : Fl W 4s      Charts : 18449      18450  
Last Insp : 05/11/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130038      Port Angeles Boat Haven Entrance Light 1      48-07-35.765N  
Member No.:      Aid Type : LT      Depth :      123-27-08.225W  
LLNR : 16325      Snd Type :  
Lt Char : Fl G 4s      Charts : 18400   18440   18465   18468  
Last Insp : 08/12/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130039      Port Angeles Boat Haven Entrance Light 2      48-07-34.729N  
Member No.:      Aid Type : LT      Depth :      123-27-09.767W  
LLNR : 16320      Snd Type :  
Lt Char : Fl R 4s      Charts : 18400    18440    18465    18468  
Last Insp : 08/12/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130036      Port Angeles Boat Haven Mast Light      48-07-34.136N  
Member No.:      Aid Type : LT      Depth :      123-27-06.699W  
LLNR : 16330      Snd Type :  
Lt Char : Fl W 2.5s      Charts : 18400    18440    18465    18468  
Last Insp : 08/12/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130040      Port Angeles Terminal 1 Light A      48-07-32.000N  
Member No.:      Aid Type : LT      Depth :      123-26-15.000W  
LLNR : 16310      Snd Type :  
Lt Char : F Y      Charts : 18400    18440    18465    18468  
Last Insp : 08/12/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117730159      Port Angeles Terminal 1 Light B      48-07-31.655N  
Member No.:      Aid Type : LT      Depth :      123-26-18.097W  
LLNR : 16311      Snd Type :  
Lt Char : F Y      Charts : 18400    18440    18465    18468  
Last Insp : 08/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117730160      Port Angeles Terminal 1 Light C      48-07-31.467N  
Member No.:      Aid Type : LT      Depth :      123-26-18.027W  
LLNR : 16312      Snd Type :  
Lt Char : F Y      Charts : 18400    18440    18465    18468  
Last Insp : 08/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)



# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117730161      Port Angeles Terminal 1 Light D      48-07-29.375N  
Member No.:      Aid Type : LT      Depth :      123-26-23.472W  
LLNR : 16313      Snd Type :  
Lt Char : F Y      Charts : 18400    18440    18465    18468  
Last Insp : 08/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117730163      Port Angeles Terminal 1 Light E      48-07-31.602N  
Member No.:      Aid Type : LT      Depth :      123-26-18.878W  
LLNR : 16314      Snd Type :  
Lt Char : F Y      Charts : 18400    18440    18465    18468  
Last Insp : 08/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117780529      Port Angeles Terminal 2 Light 2      48-07-20.794N  
Member No.:      Aid Type : LT      Depth :      123-25-49.170W  
LLNR : 16309      Snd Type :  
Lt Char : Fl R 2.5s      Charts : 18468  
Last Insp : 08/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out     Improper Characteristic     Broken Lens     Light Obscured  
 Missing     Off Station     Vandalized     Peeling Paint     Retro Peeling  
 Number Obliterated     Sinking     Aid Obscured     Damaged     Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117780528      Port Angeles Terminal 2 Light A      48-07-21.230N  
Member No.:      Aid Type : LT      Depth :      123-25-49.731W  
LLNR : 16308      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18400    18440    18465    18468  
Last Insp : 08/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117730158      Port Angeles Terminal 7 Light A      48-07-41.526N  
Member No.:      Aid Type : LT      Depth :      123-27-18.150W  
LLNR : 16333      Snd Type :  
Lt Char : Q Y      Charts : 18400    18440    18465    18468  
Last Insp : 08/11/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117357025      Richmond Beach Research Lighted Buoy      47-45-40.560N  
Member No.:      Aid Type : LB      Depth :      122-23-49.980W  
LLNR : 16755      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18440    18441    18446  
Last Insp : 05/20/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117386777      University of Washington LaPush Research Lighted Buoy      47-58-00.000N  
Member No.:      Aid Type : LB      Depth :      124-57-00.000W  
LLNR : 16115      Snd Type :  
Lt Char : Fl (5)Y 20s      Charts : 18480  
Last Insp : 01/01/1960      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out     Improper Characteristic     Broken Lens     Light Obscured  
 Missing     Off Station     Vandalized     Peeling Paint     Retro Peeling  
 Number Obliterated     Sinking     Aid Obscured     Damaged     Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119145992      Scripps Institute Wave Recorder Lighted Buoy 46267/248      48-10-23.459N  
Member No.:      Aid Type : LB      Depth :      123-36-18.781W  
LLNR : 16218      Snd Type :  
Lt Char : Fl (5)Y 20s      Charts : 18400      18465  
Last Insp : 04/03/2020      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)



# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Name:  Position:   
Member No.: \_\_\_\_\_ Aid Type:  Depth: \_\_\_\_\_  
LLNR:  Snd Type: \_\_\_\_\_  
Lt Char:  Charts: \_\_\_\_\_  
Last Insp: \_\_\_\_\_ Mile Marker: \_\_\_\_\_  
Unit Remarks: \_\_\_\_\_

Inspector: \_\_\_\_\_ Date Inspected On: \_\_\_\_\_

Aux. Phone: \_\_\_\_\_ Aux. Num: \_\_\_\_\_ Aux. Region: \_\_\_\_\_

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA: Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?  
Method:  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position: \_\_\_\_\_

LOP 1: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

LOP 2: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

LOP 3: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out  Improper Characteristic  Broken Lens  Light Obscured  
 Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling  
 Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy:  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified: \_\_\_\_\_ ●ther: \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments: (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Name:  Position:   
Member No.: \_\_\_\_\_ Aid Type:  Depth: \_\_\_\_\_  
LLNR:  Snd Type: \_\_\_\_\_  
Lt Char:  Charts: \_\_\_\_\_  
Last Insp: \_\_\_\_\_ Mile Marker: \_\_\_\_\_  
Unit Remarks: \_\_\_\_\_

Inspector: \_\_\_\_\_ Date Inspected On: \_\_\_\_\_

Aux. Phone: \_\_\_\_\_ Aux. Num: \_\_\_\_\_ Aux. Region: \_\_\_\_\_

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA: Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?  
Method:  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position: \_\_\_\_\_

LOP 1: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

LOP 2: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

LOP 3: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out  Improper Characteristic  Broken Lens  Light Obscured  
 Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling  
 Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy:  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified: \_\_\_\_\_ ● other: \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments: (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Name:  Position:   
Member No.: \_\_\_\_\_ Aid Type:  Depth: \_\_\_\_\_  
LLNR:  Snd Type: \_\_\_\_\_  
Lt Char:  Charts: \_\_\_\_\_  
Last Insp: \_\_\_\_\_ Mile Marker: \_\_\_\_\_  
Unit Remarks: \_\_\_\_\_

Inspector: \_\_\_\_\_ Date Inspected On: \_\_\_\_\_

Aux. Phone: \_\_\_\_\_ Aux. Num: \_\_\_\_\_ Aux. Region: \_\_\_\_\_

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA: Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?  
Method:  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position: \_\_\_\_\_

LOP 1: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

LOP 2: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

LOP 3: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out  Improper Characteristic  Broken Lens  Light Obscured  
 Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling  
 Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy:  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified: \_\_\_\_\_ ●ther: \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments: (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Name:  Position:   
Member No.: \_\_\_\_\_ Aid Type:  Depth: \_\_\_\_\_  
LLNR:  Snd Type: \_\_\_\_\_  
Lt Char:  Charts: \_\_\_\_\_  
Last Insp: \_\_\_\_\_ Mile Marker: \_\_\_\_\_  
Unit Remarks: \_\_\_\_\_

Inspector: \_\_\_\_\_ Date Inspected On: \_\_\_\_\_

Aux. Phone: \_\_\_\_\_ Aux. Num: \_\_\_\_\_ Aux. Region: \_\_\_\_\_

Yes No  
  Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA: Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?  
Method:  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position: \_\_\_\_\_

LOP 1: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

LOP 2: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

LOP 3: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out  Improper Characteristic  Broken Lens  Light Obscured  
 Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling  
 Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy:  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified: \_\_\_\_\_ • other: \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments: (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Name:  Position:   
Member No.: \_\_\_\_\_ Aid Type:  Depth: \_\_\_\_\_  
LLNR:  Snd Type: \_\_\_\_\_  
Lt Char:  Charts: \_\_\_\_\_  
Last Insp: \_\_\_\_\_ Mile Marker: \_\_\_\_\_  
Unit Remarks: \_\_\_\_\_

Inspector: \_\_\_\_\_ Date Inspected On: \_\_\_\_\_

Aux. Phone: \_\_\_\_\_ Aux. Num: \_\_\_\_\_ Aux. Region: \_\_\_\_\_

Yes	No						
<input type="checkbox"/>	<input type="checkbox"/>	Light List Verified? i.e. Name, Position, Characteristics, Structure					
<input type="checkbox"/>	<input type="checkbox"/>	IALA Verified? i.e. Conforms to IALA: Position, Characteristics, Aid Color					
<input type="checkbox"/>	<input type="checkbox"/>	2554 Verified?					
<input type="checkbox"/>	<input type="checkbox"/>	Position Check ?					
		Method :	<input type="checkbox"/> LORAN	<input type="checkbox"/> GPS	<input type="checkbox"/> Sextant Angles	<input type="checkbox"/> Bearings	

Ranges: Other \_\_\_\_\_ Position: \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

<input type="checkbox"/> Light Out	<input type="checkbox"/> Improper Characteristic	<input type="checkbox"/> Broken Lens	<input type="checkbox"/> Light Obscured	
<input type="checkbox"/> Missing	<input type="checkbox"/> Off Station	<input type="checkbox"/> Vandalized	<input type="checkbox"/> Peeling Paint	<input type="checkbox"/> Retro Peeling
<input type="checkbox"/> Number Obliterated	<input type="checkbox"/> Sinking	<input type="checkbox"/> Aid Obscured	<input type="checkbox"/> Damaged	<input type="checkbox"/> Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ ●ther : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Name:  Position:   
Member No.: \_\_\_\_\_ Aid Type:  Depth: \_\_\_\_\_  
LLNR:  Snd Type: \_\_\_\_\_  
Lt Char:  Charts: \_\_\_\_\_  
Last Insp: \_\_\_\_\_ Mile Marker: \_\_\_\_\_  
Unit Remarks: \_\_\_\_\_

Inspector: \_\_\_\_\_ Date Inspected On: \_\_\_\_\_

Aux. Phone: \_\_\_\_\_ Aux. Num: \_\_\_\_\_ Aux. Region: \_\_\_\_\_

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA: Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?  
Method:  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position: \_\_\_\_\_

LOP 1: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

LOP 2: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

LOP 3: Bearing: \_\_\_\_\_ Range: \_\_\_\_\_ Object: \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out  Improper Characteristic  Broken Lens  Light Obscured  
 Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling  
 Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy:  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified: \_\_\_\_\_ ●ther: \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments: (continue on reverse if necessary)