

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130306      BP Cherry Point Light A      48-51-37.120N  
Member No.:      Aid Type : LT      Depth :      122-45-21.940W  
LLNR : 19900      Snd Type :  
Lt Char : F Y      Charts : 18421      18431  
Last Insp : 07/01/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130308      BP Cherry Point Light B      48-51-42.890N  
Member No.:      Aid Type : LT      Depth :      122-45-33.590W  
LLNR : 19905      Snd Type :  
Lt Char : F Y      Charts : 18421      18431  
Last Insp : 07/01/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118130656      BP Cherry Point Light C      48-51-45.810N  
Member No.:      Aid Type : LT      Depth :      122-45-39.750W  
LLNR : 19906      Snd Type :  
Lt Char : F Y      Charts : 18421      18431  
Last Insp : 07/01/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out     Improper Characteristic     Broken Lens     Light Obscured  
 Missing     Off Station     Vandalized     Peeling Paint     Retro Peeling  
 Number Obliterated     Sinking     Aid Obscured     Damaged     Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118130657      BP Cherry Point Light D      48-51-51.540N  
Member No.:      Aid Type : LT      Depth :      122-45-51.480W  
LLNR : 19907      Snd Type :  
Lt Char : F Y      Charts : 18421      18431  
Last Insp : 07/01/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118278474      Bellingham Bay Research Lighted Buoy B      48-43-25.291N  
Member No.:      Aid Type : LB      Depth :      122-34-35.514W  
LLNR : 19284      Snd Type :  
Lt Char : Fl (5)Y 20s      Charts : 18400    18421    18424  
Last Insp : 02/17/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100740558      Birch Bay Mooring Basin Daybeacon 3      48-55-54.100N  
Member No.:      Aid Type : DBN      Depth :      122-47-15.800W  
LLNR : 19913      Snd Type :  
Lt Char :      Charts : 18421  
Last Insp : 07/25/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100740568      Birch Bay Mooring Basin Daybeacon 4      48-55-54.933N  
Member No.:      Aid Type : DBN      Depth :      122-47-13.797W  
LLNR : 19914      Snd Type :  
Lt Char :      Charts : 18421  
Last Insp : 07/25/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100740543      Birch Bay Mooring Basin Light 1      48-55-52.429N  
Member No.:      Aid Type : LT      Depth :      122-47-14.340W  
LLNR : 19911      Snd Type :  
Lt Char : Fl G 4s      Charts : 18421  
Last Insp : 07/25/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)



# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100740554      Birch Bay Mooring Basin Light 2      48-55-52.663N  
Member No.:      Aid Type : LT      Depth :      122-47-13.137W  
LLNR : 19912      Snd Type :  
Lt Char : Fl R 4s      Charts : 18421  
Last Insp : 07/25/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130410      Ferry Pier Light      48-43-23.630N  
Member No.:      Aid Type : LT      Depth :      122-30-44.770W  
LLNR : 19223      Snd Type :  
Lt Char : F Y      Charts : 18421      18424  
Last Insp : 05/23/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117717503      Friday Harbor Ferry Terminal Dolphin Light A      48-32-10.800N  
Member No.:      Aid Type : LT      Depth :      123-00-47.500W  
LLNR : 19626      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18421      18434  
Last Insp : 09/04/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117717504      Friday Harbor Ferry Terminal Dolphin Light B      48-32-10.133N  
Member No.:      Aid Type : LT      Depth :      123-00-47.363W  
LLNR : 19627      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18421      18434  
Last Insp : 09/04/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117717506      Friday Harbor Ferry Terminal Dolphin Light C      48-32-08.800N  
Member No.:      Aid Type : LT      Depth :      123-00-46.240W  
LLNR : 19628      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18421      18434  
Last Insp : 09/04/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130555      Friday Harbor Pier Lights (2)      48-32-41.100N  
Member No.:      Aid Type : LT      Depth :      123-00-46.260W  
LLNR : 19605      Snd Type :  
Lt Char : Fl R 5s      Charts : 18421    18434    18465  
Last Insp : 09/04/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130250      Intalco Pier North Light      48-50-31.240N  
Member No.:      Aid Type : LT      Depth :      122-43-19.530W  
LLNR : 19895      Snd Type : HORN  
Lt Char : F Y      Charts : 18400    18421    18431  
Last Insp : 08/24/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118154141      Intalco Pier South Light      48-50-22.090N  
Member No.:      Aid Type : LT      Depth :      122-43-15.670W  
LLNR : 19894      Snd Type :  
Lt Char : F Y      Charts : 18400    18421    18431  
Last Insp : 08/24/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)



# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130360 Lummi Island Ferry Landing Light 48-43-13.980N  
Member No.: Aid Type : LT Depth : 122-40-50.704W  
LLNR : 19300 Snd Type :  
Lt Char : Fl R 4s Charts : 18421 18424  
Last Insp : 05/14/2016 Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out  Improper Characteristic  Broken Lens  Light Obscured

Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling

Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117717500      Orcas Island Ferry Terminal Dolphin Light A      48-35-48.574N  
Member No.:      Aid Type : LT      Depth :      122-56-34.311W  
LLNR : 19662      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18400    18421    18434  
Last Insp : 07/31/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117717501      Orcas Island Ferry Terminal Dolphin Light B      48-35-47.731N  
Member No.:      Aid Type : LT      Depth :      122-56-36.687W  
LLNR : 19663      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18400    18421    18434  
Last Insp : 07/31/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130291 Pearl Island Dock Light 48-37-03.000N  
Member No.: Aid Type : LT Depth : 123-09-39.400W  
LLNR : 19755 Snd Type :  
Lt Char : Fl Y 4s Charts : 18421 18433  
Last Insp : 09/04/2016 Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out  Improper Characteristic  Broken Lens  Light Obscured

Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling

Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130170 Pearl Island Pier Lights (2) 48-36-55.200N  
Member No.: Aid Type : LT Depth : 123-10-10.920W  
LLNR : 19745 Snd Type :  
Lt Char : F Y Charts : 18421 18433  
Last Insp : 09/04/2016 Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out  Improper Characteristic  Broken Lens  Light Obscured

Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling

Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130279      Phillips 66 Pier North Light      48-49-37.620N  
Member No.:      Aid Type : LT      Depth :      122-43-10.210W  
LLNR : 19891      Snd Type :  
Lt Char : F Y      Charts : 18421    18427    18431  
Last Insp : 08/12/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130281      Phillips 66 Pier South Light      48-49-29.500N  
Member No.:      Aid Type : LT      Depth :      122-43-13.970W  
LLNR : 19890      Snd Type : HORN  
Lt Char : F Y      Charts : 18421    18427    18431  
Last Insp : 08/12/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130415      Secret Harbor Fish Pen Lights (2)      48-33-14.900N  
Member No.:      Aid Type : LT      Depth :      122-40-57.400W  
LLNR : 19172      Snd Type :  
Lt Char : Fl Y 6s      Charts : 18421    18424    18429    18430  
Last Insp : 05/14/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)



# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117717497      Shaw Island Ferry Terminal Dolphin Light      48-35-07.072N  
Member No.:      Aid Type : LT      Depth :      122-55-44.756W  
LLNR : 19667      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18434  
Last Insp : 07/31/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118120789 Shoal Bay Aquaculture Lighted Buoy 48-33-31.100N  
Member No.: Aid Type : LB Depth : 122-52-29.600W  
LLNR : 19440 Snd Type :  
Lt Char : Fl Y 6s Charts : 18421 18430 18434  
Last Insp : 07/31/2016 Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out  Improper Characteristic  Broken Lens  Light Obscured

Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling

Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100152194 Skyline Marina Entrance Light 1 48-29-21.030N  
Member No.: Aid Type : LT Depth : 122-40-38.290W  
LLNR : 19360 Snd Type :  
Lt Char : Fl G 4s Charts : 18421 18427 18429  
Last Insp : 05/26/2016 Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out  Improper Characteristic  Broken Lens  Light Obscured

Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling

Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130274 Skyline Marina Entrance Light 2 48-29-20.440N  
Member No.: Aid Type : LT Depth : 122-40-36.830W  
LLNR : 19365 Snd Type :  
Lt Char : Fl R 4s Charts : 18421 18427 18429  
Last Insp : 05/26/2016 Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN  GPS  Sextant Angles  Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out  Improper Characteristic  Broken Lens  Light Obscured  
 Missing  Off Station  Vandalized  Peeling Paint  Retro Peeling  
 Number Obliterated  Sinking  Aid Obscured  Damaged  Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL  PHONE  RADIO Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes  No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130051      Squalicum Creek Waterway Range Front Light      48-45-38.354N  
Member No.:      Aid Type : RF      Depth :      122-30-34.160W  
LLNR : 19281      Snd Type :  
Lt Char : Q G      Charts : 18421      18424  
Last Insp : 07/19/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130053      Squalicum Creek Waterway Range Rear Light      48-45-42.220N  
Member No.:      Aid Type : RR      Depth :      122-30-29.844W  
LLNR : 19282      Snd Type :  
Lt Char : Iso G 6s      Charts : 18421      18424  
Last Insp : 07/19/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118122748      Squalicum Estuary Breakwater Warning Daybeacon      48-45-39.047N  
Member No.:      Aid Type : DBN      Depth :      122-30-36.360W  
LLNR : 19283      Snd Type :  
Lt Char :      Charts : 18400    18421    18424  
Last Insp : 07/19/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130176      Tesoro Northwest Company Wharf Light A      48-30-31.078N  
Member No.:      Aid Type : LT      Depth :      122-34-17.202W  
LLNR : 19070      Snd Type : HORN  
Lt Char : F Y      Charts : 18421      18427  
Last Insp : 05/26/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)



# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130178      Tesoro Northwest Company Wharf Light B      48-30-29.070N  
Member No.:      Aid Type : LT      Depth :      122-34-03.259W  
LLNR : 19072      Snd Type :  
Lt Char : F Y      Charts : 18421      18427  
Last Insp : 05/26/2016      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100130270      Vendovi Cove Light      48-36-55.200N  
Member No.:      Aid Type : LT      Depth :      122-36-41.400W  
LLNR : 19195      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18421      18424  
Last Insp : 05/14/2016      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)