

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119274252      Pacwave North Spotter Lighted Buoy A      44-40-54.480N  
Member No.:      Aid Type : LB      Depth :      124-08-39.840W  
LLNR : 654.1      Snd Type :  
Lt Char : Fl W 2.5s      Charts : 18580  
Last Insp : 06/06/2002      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119274253      Pacwave North Spotter Lighted Buoy B      44-41-21.120N  
Member No.:      Aid Type : LB      Depth :      124-08-40.560W  
LLNR : 654.2      Snd Type :  
Lt Char : Fl W 2.5s      Charts : 18580  
Last Insp : 06/06/2022      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119274254      Pacwave North Spotter Lighted Buoy C      44-41-49.920N  
Member No.:      Aid Type : LB      Depth :      124-08-43.330W  
LLNR : 654.3      Snd Type :  
Lt Char : Fl W 2.5s      Charts : 18580  
Last Insp : 06/06/2022      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119274330      Pacwave South Research Lighted Buoy      44-34-00.000N  
Member No.:      Aid Type : LB      Depth :      124-13-58.800W  
LLNR : 651.2      Snd Type :  
Lt Char : Fl W 2.5s      Charts : 18580  
Last Insp : 06/06/2022      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out     Improper Characteristic     Broken Lens     Light Obscured  
 Missing     Off Station     Vandalized     Peeling Paint     Retro Peeling  
 Number Obliterated     Sinking     Aid Obscured     Damaged     Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119274329      Pacwave South Spotter Lighted Buoy N      44-34-15.000N  
Member No.:      Aid Type : LB      Depth :      124-13-58.800W  
LLNR : 651.3      Snd Type :  
Lt Char : Fl W 2.5s      Charts : 18580  
Last Insp : 06/06/2022      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100119274328      Pacwave South Spotter Lighted Buoy S      44-33-45.000N  
Member No.:      Aid Type : LB      Depth :      124-13-58.800W  
LLNR : 651.1      Snd Type :  
Lt Char : Fl W 2.5s      Charts : 18580  
Last Insp : 06/06/2022      Mile Marker :

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117320941      CMOP Research Lighted Buoy      46-10-24.000N  
Member No.:      Aid Type : LB      Depth :      124-07-36.000W  
LLNR : 693      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18500    18520    18521  
Last Insp : 01/01/1930      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118392945      OSU Cape Arago Research Lighted Buoy      43-18-00.000N  
Member No.:      Aid Type : LB      Depth :      124-32-00.000W  
LLNR : 612      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18003    18010    18580  
Last Insp : 01/01/1960      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)



# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118224801      OSU Newport Shelf Research Lighted Buoy      44-38-20.040N  
Member No.:      Aid Type : LB      Depth :      124-18-13.680W  
LLNR : 651.5      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18520    18561    18580  
Last Insp : 04/07/2015      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118067133      OSU Nye Beach Research Lighted Buoy      44-39-30.168N  
Member No.:      Aid Type : LB      Depth :      124-05-44.592W  
LLNR : 653      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18520    18561    18580  
Last Insp : 04/20/2014      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100118225526      OSU Waldport Offshore Research Lighted Buoy      44-22-15.000N  
Member No.:      Aid Type : LB      Depth :      124-56-52.500W  
LLNR : 651      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18561      18580  
Last Insp : 04/09/2015      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 100117415210      Scripps Institute Wave Recorder Lighted Buoy 46243/162      46-12-57.300N  
Member No.:      Aid Type : LB      Depth :      124-07-41.280W  
LLNR : 694      Snd Type :  
Lt Char : Fl (5)Y 20s      Charts : 18500    18520    18521  
Last Insp : 01/01/1960      Mile Marker :  
Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

- Light List Verified? i.e. Name, Position, Characteristics, Structure  
  IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color  
  2554 Verified?  
  Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

- Light Out       Improper Characteristic       Broken Lens       Light Obscured  
 Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling  
 Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)

# USCG Integrated ATONIS

Integrated Aids to Navigation Information System

## Private Aid Verification Form

RPVER

RETURN THIS COMPLETED FORM NO LATER THAN ONE WEEK AFTER VERIFICATION

Aid Num : 200100129606      Seaside Research Lighted Buoy      46-02-06.000N  
Member No.:      Aid Type : LB      Depth :      124-14-36.000W  
LLNR : 687      Snd Type :  
Lt Char : Fl Y 4s      Charts : 18520  
Last Insp : 10/14/2005      Mile Marker : 0

Unit Remarks :

Inspector : \_\_\_\_\_ Date Inspected On : \_\_\_\_\_

Aux. Phone : \_\_\_\_\_ Aux. Num : \_\_\_\_\_ Aux. Region : \_\_\_\_\_

Yes    No

Light List Verified? i.e. Name, Position, Characteristics, Structure

IALA Verified? i.e. Conforms to IALA; Position, Characteristics, Aid Color

2554 Verified?

Position Check ?

Method :  LORAN     GPS     Sextant Angles     Bearings

Ranges: Other \_\_\_\_\_ Position : \_\_\_\_\_

LOP 1 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 2 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

LOP 3 : Bearing : \_\_\_\_\_ Range : \_\_\_\_\_ Object : \_\_\_\_\_

### DISCREPANCY

(REPORT ALL DISCREPANCIES TO COGNIZANT GROUP COMMANDER)

Light Out       Improper Characteristic       Broken Lens       Light Obscured

Missing       Off Station       Vandalized       Peeling Paint       Retro Peeling

Number Obliterated       Sinking       Aid Obscured       Damaged       Bird Fouling

(Explain unlisted discrepancies in the Comments section below)

Method of Reporting Discrepancy :  MAIL     PHONE     RADIO    Time Reported \_\_\_\_\_ L

Coast Guard Unit notified : \_\_\_\_\_ Other : \_\_\_\_\_

DID YOU REMEMBER TO CONVERT GPS OR LORAN LAT/LON DECIMALS TO SECONDS?  Yes     No

Comments : (continue on reverse if necessary)